

## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902033564

Designation: A4VG90DA2D2/32L-NAF02F001S-S \*G\*

Drawing no.: R909733206

| Pos. | Part No.   | Designation                    | Quantity |    |
|------|------------|--------------------------------|----------|----|
| 1    | R909607883 | ROTARY GROUP                   | 1 ST     | L  |
| 2    | R902017049 | CONTROL, HYDRAULIC             | 1 ST     | L  |
| 3    | R909608592 | PORT PLATE WITH VALVES         | 1 ST     | L  |
| 4    | R909606811 | INTERNAL GEAR PUMP ASSEMBLY    | 1 ST     | L  |
| 5    | R902033508 | 4/3-WAY DIRECTIONAL VALVE      | 1 ST     | L  |
| 7    | R909414719 | CONTROL CARTRIDGE              | 1 ST     | LD |
| 10   | R902010628 | HOUSING                        | 1 ST     |    |
| 13   | R909449714 | JOINT PIN                      | 2 ST     |    |
| 20   | R909153891 | LOCKING SCREW                  | 2 ST     | D  |
| 21   | R909153815 | LOCKING SCREW                  | 1 ST     | D  |
| 22   | R909153816 | LOCKING SCREW                  | 3 ST     | D  |
| 31   | R909156579 | CLAMPING PIN                   | 2 ST     | D  |
| 32   | R909151692 | LOCKING SCREW                  | 1 ST     | D  |
| 33   | R909151694 | LOCKING SCREW                  | 2 ST     | D  |
| 35   | R909153364 | LOCKING SCREW                  | 4 ST     | D  |
| 41   | R909065583 | THREADED-REDUCING CONNECT.STUD | 1 ST     |    |
| 46   | R902035616 | ECCENTRIC SCREW                | 1 ST     |    |
| 47   | R909087405 | SEAL LOCK NUT                  | 1 ST     | D  |
| 49   | R909426706 | ORIFICE                        | 1 ST     |    |
| 54   | R909652110 | THROTTLE SCREW                 | 1 ST     |    |
| 58   | R902014733 | HYDRAULIC LINE                 | 1 ST     | L  |
| 98   | R902095526 | SEAL KIT,COMPLETE              | 1 ST     |    |


### Safety Notes:

**Service – and repair works have to be carried out by the Bosch Rexroth AG or their repair stations only. We do not grant any warranty for defects due to assembly, maintenance or repair not effected by the Bosch Rexroth AG or their repair stations.**

\*G\*

Product Unit  
Axial Piston Units

Drawing no.: R909733206



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R909607883  
Designation: ROTARY GROUP

Drawing no.: R902079219

| Pos. | Part No.   | Designation                    | Quantity |   |
|------|------------|--------------------------------|----------|---|
| 1    | R902079223 | ROTARY GROUP, HYDR. SECTION    | 1 ST     | L |
| 2    | R902007629 | CONTROL PLATE                  | 1 ST     |   |
| 12   | R909922255 | CRADLE                         | 1 ST     |   |
| 13   | R909449810 | SLIDE RING                     | 1 ST     |   |
| 14   | R909921549 | DRIVE SHAFT                    | 1 ST     |   |
| 17   | R909417959 | WIRE                           | 2 ST     |   |
| 26   | R902066593 | BEARING LINER (PAIR)           | 1 ST     |   |
| 31   | R909153104 | PLAIN ROLLER BEARING           | 1 ST     |   |
| 32   | R909830165 | CRADLE BEARING ASSEMBLY ( SET) | 1 ST     |   |
| 36   | R909083362 | RETAINING RING                 | 1 ST     |   |
| 37   | R902600001 | RETAINING RING                 | 2 ST     |   |
| 38   | R902601820 | SHAFT SEAL RING                | 1 ST     | D |
| 98   | R902002390 | SEAL KIT DRIVE SHAFT           | 1 ST     |   |

## Spare parts list


Part No.: R909607883

Designation: ROTARY GROUP

Product Unit

Axial Piston Units

Drawing no.: R902079219



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902079223

Designation: ROTARY GROUP, HYDR. SECTION

Drawing no.: R902079225

| Pos. | Part No.   | Designation        | Quantity |
|------|------------|--------------------|----------|
| 1    | R902018860 | CYLINDER WITH BUSH | 1 ST     |
| 2    | R909414515 | PISTON-SLIPPER PAD | 9 ST     |
| 11   | R909921728 | CUP-SPRING STACK   | 1 ST     |
| 20   | R909432984 | SHIM               | 1 ST     |
| 20   | R909432985 | SHIM               | 1 ST     |
| 20   | R909432983 | SHIM               | 1 ST     |
| 20   | R909432986 | SHIM               | 1 ST     |
| 24   | R909921729 | RETAINING PLATE    | 1 ST     |
| 25   | R909921730 | RETAINING BALL     | 1 ST     |
| 27   | R909449885 | WASHER             | 2 ST     |
| 29   | R909435649 | PRESSURE SPRING    | 1 ST     |
| 41   | R909084556 | RETAINING RING     | 1 ST     |

## Spare parts list


Part No.: R902079223

Designation: ROTARY GROUP, HYDR. SECTION


Product Unit

Axial Piston Units

Drawing no.: R902079225



X unverstößlich  
NOT TO SCALE



- 1) Abstimmd C bei  $\alpha = 0^\circ$   
 Abstimmung mit Pos.20, Simulierung SR =  $4.0^{+0.05}_{-0.05}$  und Nullplatte  
 C =  $117.4^{+0.2}_{-0.2}$
- 1) TUNING DIMENSION C WITH  $\alpha = 0^\circ$   
 TUNING WITH POS.20, SIMULATION RING SR =  $4.0^{+0.05}_{-0.05}$  AND ZERO PLATE  
 C =  $117.4^{+0.2}_{-0.2}$

## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902017049  
Designation: CONTROL, HYDRAULIC

Drawing no.: R902010629


| Pos. | Part No.   | Designation                 | Quantity |   |
|------|------------|-----------------------------|----------|---|
| 1    | R902025534 | POSITIONING PISTON COMPLETE | 1 ST     | L |
| 3    | R902010621 | COVER                       | 1 ST     |   |
| 4    | R902010622 | COVER                       | 1 ST     |   |
| 16   | R909157477 | HEXAGON NUT                 | 1 ST     |   |
| 17   | R909083036 | SOCKET-HEAD SCREW           | 8 ST     |   |
| 20   | R909083790 | O-RING                      | 2 ST     | D |
| 30   | R902600838 | GUIDE RING                  | 2 ST     |   |
| 31   | R902600270 | TURCON-GLYD-RING            | 2 ST     | D |
| 98   | R902002373 | SEAL KIT HYDR. CONTROL      | 1 ST     |   |

# Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902017049  
Designation: CONTROL, HYDRAULIC

Drawing no.: R902010629



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902025534

Designation: POSITIONING PISTON COMPLETE

Drawing no.: R902025513


| Pos. | Part No.   | Designation        | Quantity |   |
|------|------------|--------------------|----------|---|
| 1    | R902015534 | POSITIONING PISTON | 1 ST     |   |
| 2    | R909922109 | ROD                | 1 ST     |   |
| 5    | R902020494 | RING               | 2 ST     |   |
| 5    | R902020493 | RING               | 2 ST     |   |
| 5    | R902020495 | RING               | 2 ST     |   |
| 5    | R902020496 | RING               | 2 ST     |   |
| 5    | R902020497 | RING               | 2 ST     |   |
| 5    | R902020498 | RING               | 2 ST     |   |
| 5    | R902029756 | RING               | 2 ST     |   |
| 5    | R902029757 | RING               | 2 ST     |   |
| 5    | R902043149 | RING               | 2 ST     |   |
| 6    | R902600767 | ASSEMBLY RING      | 2 ST     |   |
| 7    | R902020100 | SPRING COLLAR      | 2 ST     |   |
| 10   | R909922121 | PRESSURE SPRING    | 2 ST     |   |
| 11   | R909922122 | PRESSURE SPRING    | 2 ST     |   |
| 15   | R909830312 | RETAINING RING     | 2 ST     |   |
| 19   | R909086333 | O-RING             | 1 ST     | D |
| 23   | R909922116 | SPRING COLLAR      | 2 ST     |   |

Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902025534  
Designation: POSITIONING PISTON COMPLETE

Drawing no.: R902025513



| 1) Stellkolben, komplett |                  |                    |                  |                    |                    |                  |                      |
|--------------------------|------------------|--------------------|------------------|--------------------|--------------------|------------------|----------------------|
| Federkraft               | bei 5 bar-10 bar | bei 5 bar-12,5 bar | bei 5 bar-15 bar | bei 5 bar-18,4 bar | bei 7 bar-18,4 bar | bei 5 bar-20 bar | bei 4,1 bar-22,6 bar |
| F <sub>1</sub> [N]       | 1874±147         | 1854±198           | 1913±239         | 1883±325           | 2676±290           | 1916±355         | 1541±429             |
| F <sub>2</sub> [N]       | 3757±169         | 4697±225           | 5636±274         | 6924±373           | 6914±330           | 7479±408         | 8502±494             |

## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R909608592

Designation: PORT PLATE WITH VALVES


Drawing no.: R909705403

| Pos. | Part No.   | Designation                     | Quantity |   |
|------|------------|---------------------------------|----------|---|
| 1    | R902602249 | MHDBN22K2-20/520VHP-130 #150NM  | 2 ST     | L |
| 2    | R909434856 | PRESSURE RELIEF VALVE           | 1 ST     | L |
| 3    | R909437363 | PRESSURE OVERRIDE VALVE         | 1 ST     | L |
| 5    | R909650736 | PORT PLATE                      | 1 ST     |   |
| 6    | R909449136 | BEARING BUSHING                 | 1 ST     |   |
| 7    | R909083141 | SOCKET-HEAD SCREW               | 4 ST     |   |
| 9    | R909830300 | O-RING                          | 1 ST     | D |
| 11   | R909831320 | DOUBLE BREAK-OFF PIN            | 1 ST     | D |
| 13   | R909154024 | LOCKING SCREW                   | 4 ST     | D |
| 26   | R909086333 | O-RING                          | 2 ST     | D |
| 35   | R909151692 | LOCKING SCREW                   | 3 ST     | D |
| 43   | R909440537 | BUSH                            | 1 ST     |   |
| 44   | R909435790 | BEARING BUSHING                 | 1 ST     |   |
| 48   | R909831319 | DOUBLE BREAK-OFF PIN            | 1 ST     | D |
| 98   | R902002400 | SEAL KIT PORT PLATE WITH VALVES | 1 ST     |   |

Part No.: R909608592  
Designation: PORT PLATE WITH VALVES

Product Unit  
Axial Piston Units

Drawing no.: R909705403



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902602249

Designation: MHDBN22K2-20/520VHP-130 #150NM

| Pos. | Part No.   | Designation | Quantity |   |
|------|------------|-------------|----------|---|
| 1    | R902600123 | SEAL KIT    | 1 ST     | D |
| 2    | R902602247 | CAP         | 1 ST     |   |

## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R909434856

Designation: PRESSURE RELIEF VALVE

Drawing no.: R909730913

| Pos. | Part No.   | Designation     | Quantity |   |
|------|------------|-----------------|----------|---|
| 1    | R909436167 | LOCKING SCREW   | 1 ST     |   |
| 2    | R909449622 | ADJUSTING SCREW | 1 ST     |   |
| 3    | R909435899 | VALVE PISTON    | 1 ST     |   |
| 4    | R902010336 | SPRING COLLAR   | 1 ST     |   |
| 5    | R909440765 | PRESSURE SPRING | 1 ST     |   |
| 8    | R909083761 | O-RING          | 1 ST     | D |
| 9    | R909153271 | SEAL LOCK NUT   | 1 ST     | D |

## Spare parts list


Part No.: R909434856

Designation: PRESSURE RELIEF VALVE

Product Unit

Axial Piston Units

Drawing no.: R909730913



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R909437363  
Designation: PRESSURE OVERRIDE VALVE

Drawing no.: R909731051

| Pos. | Part No.   | Designation     | Quantity |   |
|------|------------|-----------------|----------|---|
| 1    | R909436569 | LOCKING SCREW   | 1 ST     |   |
| 2    | R909436553 | VALVE BUSHING   | 1 ST     |   |
| 3    | R909432162 | CONTROL PISTON  | 1 ST     |   |
| 4    | R909432163 | PISTON          | 1 ST     |   |
| 5    | R909432164 | VALVE PISTON    | 1 ST     |   |
| 6    | R909436284 | POPPET SEAT     | 1 ST     |   |
| 7    | R902009402 | PRESSURE SPRING | 1 ST     |   |
| 8    | R902043092 | SPRING COLLAR   | 2 ST     |   |
| 9    | R909432167 | ADJUSTING SCREW | 1 ST     |   |
| 10   | R909083752 | O-RING          | 1 ST     | D |
| 14   | R909152707 | SEAL LOCK NUT   | 1 ST     | D |
| 15   | R909086380 | O-RING          | 1 ST     | D |

## Spare parts list

Part No.: R909437363


Designation: PRESSURE OVERRIDE VALVE

Product Unit

Axial Piston Units

Drawing no.: R909731051

Zum Blockieren der Druckabschneidung beim Überprüfen der Hochdruckventile die Einstellschraube Pos. 9 mit gelöster Kontermutter Pos. 14 bis zum Anschlag mit max. 2Nm im drucklosen Zustand eindrehen !



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R909606811

Designation: INTERNAL GEAR PUMP ASSEMBLY

Drawing no.: R902077732

| Pos. | Part No.   | Designation                 | Quantity |   |
|------|------------|-----------------------------|----------|---|
| 1    | R902077765 | INTERNAL GEAR PUMP          | 1 ST     | L |
| 2    | R902077789 | WEAR PLATE COMPLETE         | 1 ST     | L |
| 3    | R902602447 | LOCKING PLUG                | 2 ST     |   |
| 98   | R902002412 | SEAL KIT INTERNAL GEAR PUMP | 1 ST     |   |

# Spare parts list

Part No.: R909606811



Designation: INTERNAL GEAR PUMP ASSEMBLY

Product Unit




Axial Piston Units

Drawing no.: R902077732

A-A 1:2,5



B-B 1:2,5



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902077765  
Designation: INTERNAL GEAR PUMP

Drawing no.: R909723615


| Pos. | Part No.   | Designation       | Quantity |   |
|------|------------|-------------------|----------|---|
| 1    | R902077818 | PUMP COVER        | 1 ST     |   |
| 3    | R909449136 | BEARING BUSHING   | 1 ST     |   |
| 5    | R909650371 | STUB SHAFT        | 1 ST     |   |
| 7    | R902006258 | WHEEL SET         | 1 ST     |   |
| 8    | R902025649 | SHAFT KEY         | 1 ST     |   |
| 9    | R909156930 | SNAP RING         | 1 ST     |   |
| 10   | R909083089 | SOCKET-HEAD SCREW | 4 ST     |   |
| 12   | R909083825 | O-RING            | 1 ST     | D |

# Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902077765  
Designation: INTERNAL GEAR PUMP

Drawing no.: R909723615



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902077789

Designation: WEAR PLATE COMPLETE

Drawing no.: R902013125

| Pos. | Part No.   | Designation | Quantity |   |
|------|------------|-------------|----------|---|
| 1    | R902077790 | WEAR PLATE  | 1 ST     |   |
| 3    | R909083825 | O-RING      | 1 ST     | D |

## Spare parts list


Part No.: R902077789

Designation: WEAR PLATE COMPLETE

Product Unit

Axial Piston Units

Drawing no.: R902013125



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902033508

Designation: 4/3-WAY DIRECTIONAL VALVE

Drawing no.: R902033509

| Pos. | Part No.   | Designation                    | Quantity |   |
|------|------------|--------------------------------|----------|---|
| 2    | R902014778 | VALVE HOUSING WITH ACCESSORIES | 1 ST     | L |
| 40   | R909610437 | CONTROL SOLENOID WITH SCREWS   | 1 ST     | L |
| 41   | R902601843 | 3/2 DIRECTIONAL PISTON VALVE   | 1 ST     | L |

## Spare parts list


Part No.: R902033508

Designation: 4/3-WAY DIRECTIONAL VALVE

Product Unit

Axial Piston Units

Drawing no.: R902033509



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902014778

Designation: VALVE HOUSING WITH ACCESSORIES

Drawing no.: R902026860

| Pos. | Part No.   | Designation          | Quantity |   |
|------|------------|----------------------|----------|---|
| 1    | R902026792 | VALVE HOUSING        | 1 ST     |   |
| 2    | R902009009 | CONTROL PISTON       | 1 ST     |   |
| 3    | R909400503 | SPRING COLLAR        | 2 ST     |   |
| 4    | R909071362 | PRESSURE SPRING      | 2 ST     | D |
| 5    | R902028049 | HOUSING              | 1 ST     |   |
| 18   | R902600503 | THREADED PIN         | 1 ST     | D |
| 19   | R909085700 | SOCKET-HEAD SCREW    | 2 ST     | D |
| 20   | R909083028 | SOCKET-HEAD SCREW    | 2 ST     |   |
| 21   | R909083187 | SOCKET-HEAD SCREW    | 2 ST     | D |
| 22   | R902600705 | PLUG                 | 4 ST     |   |
| 23   | R909831318 | DOUBLE BREAK-OFF PIN | 3 ST     | D |
| 24   | R902600641 | O-RING               | 1 ST     | D |
| 27   | R909083734 | O-RING               | 2 ST     | D |
| 28   | R909086332 | O-RING               | 3 ST     | D |
| 29   | R909085709 | O-RING               | 3 ST     | D |
| 30   | R909151979 | LOCKING SCREW        | 2 ST     | D |


## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902014778

Designation: VALVE HOUSING WITH ACCESSORIES

Drawing no.: R902026860



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R909610437

Designation: CONTROL SOLENOID WITH SCREWS

Drawing no.: R909732692

| Pos. | Part No.   | Designation       | Quantity |
|------|------------|-------------------|----------|
| 1    | R909831970 | SOLENOID          | 1 ST     |
| 2    | R909157715 | SOCKET-HEAD SCREW | 8 ST     |


## Spare parts list

Part No.: R909610437

Designation: CONTROL SOLENOID WITH SCREWS

Product Unit  
Axial Piston Units

Drawing no.: R909732692



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902601843

Designation: 3/2 DIRECTIONAL PISTON VALVE

| Pos. | Part No.   | Designation   | Quantity |
|------|------------|---------------|----------|
| 1    | R902602914 | SEAL KIT      | 1 ST     |
| 2    | R902603255 | RETAINING NUT | 1 ST     |
| 3    | R902603259 | SOLENOID COIL | 1 ST     |

## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R909414719

Designation: CONTROL CARTRIDGE

| Pos. | Part No.   | Designation                   | Quantity |   |
|------|------------|-------------------------------|----------|---|
| 1    | R902000535 | CONTROL CARTRIDGE W/O ORIFICE | 1 ST     | L |
| 5    | R909446273 | ORIFICE                       | 1 ST     | L |

## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902000535

Designation: CONTROL CARTRIDGE W/O ORIFICE

Drawing no.: R909725918

| Pos. | Part No.   | Designation         | Quantity |   |
|------|------------|---------------------|----------|---|
| 1    | R909414721 | CONTROL SCREW       | 1 ST     |   |
| 2    | R902037075 | DIFFERENTIAL PISTON | 1 ST     |   |
| 3    | R909922152 | CONTROLLER PIPE     | 1 ST     |   |
| 8    | R909421327 | WASHER              | 1 ST     |   |
| 10   | R909414047 | SPRING COLLAR       | 2 ST     |   |
| 12   | R909408682 | PRESSURE SPRING     | 1 ST     |   |
| 14   | R902037910 | THREADED PIN        | 1 ST     |   |
| 16   | R909650154 | RING                | 1 ST     |   |
| 26   | R909156476 | CIRCLIP             | 1 ST     |   |
| 27   | R909086731 | O-RING              | 1 ST     | D |
| 28   | R909152707 | SEAL LOCK NUT       | 1 ST     | D |
| 33   | R909156498 | SEEGER-V-RING       | 1 ST     |   |
| 34   | R909153847 | SEEGER-V-RING       | 1 ST     |   |
| 41   | R909157287 | HEXAGON NUT         | 1 ST     |   |

## Spare parts list



Part No.: R902000535

Designation: CONTROL CARTRIDGE W/O ORIFICE

Product Unit

Axial Piston Units

Drawing no.: R909725918



## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R909446273  
Designation: ORIFICE

| Pos. | Part No.   | Designation | Quantity |
|------|------------|-------------|----------|
| 25   | R902005292 | ORIFICE     | 1 ST     |
| 26   | R902005293 | ORIFICE     | 1 ST     |
| 27   | R902005294 | ORIFICE     | 1 ST     |
| 28   | R902005295 | ORIFICE     | 1 ST     |
| 29   | R902005296 | ORIFICE     | 1 ST     |
| 30   | R909412539 | ORIFICE     | 1 ST     |
| 31   | R909651699 | ORIFICE     | 1 ST     |
| 32   | R909651700 | ORIFICE     | 1 ST     |
| 33   | R909651701 | ORIFICE     | 1 ST     |
| 34   | R909651702 | ORIFICE     | 1 ST     |
| 35   | R909412538 | ORIFICE     | 1 ST     |
| 36   | R909439551 | ORIFICE     | 1 ST     |
| 37   | R909439552 | ORIFICE     | 1 ST     |
| 38   | R909439553 | ORIFICE     | 1 ST     |
| 39   | R909439554 | ORIFICE     | 1 ST     |
| 40   | R909411968 | ORIFICE     | 1 ST     |
| 41   | R909439555 | ORIFICE     | 1 ST     |
| 42   | R909426976 | ORIFICE     | 1 ST     |
| 43   | R909431432 | ORIFICE     | 1 ST     |
| 44   | R909431431 | ORIFICE     | 1 ST     |
| 45   | R909405865 | ORIFICE     | 1 ST     |
| 46   | R909435954 | ORIFICE     | 1 ST     |
| 47   | R909430801 | ORIFICE     | 1 ST     |
| 48   | R902004601 | ORIFICE     | 1 ST     |
| 49   | R909405866 | ORIFICE     | 1 ST     |
| 50   | R909439556 | ORIFICE     | 1 ST     |
| 51   | R909404716 | ORIFICE     | 1 ST     |
| 52   | R909439557 | ORIFICE     | 1 ST     |
| 53   | R909405867 | ORIFICE     | 1 ST     |
| 54   | R909439540 | ORIFICE     | 1 ST     |
| 55   | R909411743 | ORIFICE     | 1 ST     |
| 56   | R909444087 | ORIFICE     | 1 ST     |
| 57   | R909439558 | ORIFICE     | 1 ST     |
| 58   | R909418192 | ORIFICE     | 1 ST     |
| 59   | R909436697 | ORIFICE     | 1 ST     |
| 60   | R909408028 | ORIFICE     | 1 ST     |
| 61   | R909439559 | ORIFICE     | 1 ST     |

## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R909446273  
Designation: ORIFICE

|    |            |         |      |
|----|------------|---------|------|
| 62 | R909414475 | ORIFICE | 1 ST |
| 63 | R909435948 | ORIFICE | 1 ST |
| 64 | R909418666 | ORIFICE | 1 ST |
| 65 | R909413532 | ORIFICE | 1 ST |
| 66 | R909405989 | ORIFICE | 1 ST |
| 67 | R909404717 | ORIFICE | 1 ST |
| 68 | R909431899 | ORIFICE | 1 ST |
| 69 | R909432434 | ORIFICE | 1 ST |
| 70 | R909400544 | ORIFICE | 1 ST |
| 71 | R909401641 | ORIFICE | 1 ST |
| 72 | R909414233 | ORIFICE | 1 ST |
| 73 | R909420360 | ORIFICE | 1 ST |
| 74 | R909439560 | ORIFICE | 1 ST |
| 75 | R909412980 | ORIFICE | 1 ST |
| 76 | R909439561 | ORIFICE | 1 ST |
| 77 | R909410444 | ORIFICE | 1 ST |
| 78 | R909418448 | ORIFICE | 1 ST |
| 79 | R909408029 | ORIFICE | 1 ST |
| 80 | R909426448 | ORIFICE | 1 ST |
| 81 | R909439562 | ORIFICE | 1 ST |
| 82 | R909401638 | ORIFICE | 1 ST |
| 83 | R909408013 | ORIFICE | 1 ST |
| 84 | R909408030 | ORIFICE | 1 ST |
| 85 | R909410445 | ORIFICE | 1 ST |
| 86 | R909439563 | ORIFICE | 1 ST |
| 87 | R909417842 | ORIFICE | 1 ST |
| 88 | R909439564 | ORIFICE | 1 ST |
| 89 | R909439565 | ORIFICE | 1 ST |
| 90 | R909410446 | ORIFICE | 1 ST |
| 95 | R909420285 | ORIFICE | 1 ST |

## Spare parts list

Product Unit  
Axial Piston Units

Part No.: R902014733

Designation: HYDRAULIC LINE

| Pos. | Part No.   | Designation | Quantity |
|------|------------|-------------|----------|
| 2    | R902014761 | PIPE        | 1 ST     |
| 3    | R909083310 | FITTING     | 1 ST     |
| 4    | R909086819 | FITTING     | 1 ST     |